

Kvalitet: **130**
Quality:

Kvalitet: **130**
Quality:

Tekniske Spesifikasjoner/Technical Characteristics

Vev <i>Base fabric</i>		Polyester, 1100 dtex, 2-skaft
Belegg <i>Coating</i>		PVC
Bredde <i>Width</i>	EN 1848-2	204 cm
Vekt <i>Weight</i>	EN 1849-2	450 g/m ²
Rivestyrke <i>Tear resistance</i>	EN 12310-2/ DIN 53356	400/280 N
Strekstyrke <i>Tensile strength</i>	EN 12311-2	2300/2000 N/5cm
Adhesjon <i>Adhesion</i>	DIN 53357	100 N/5 cm
Flammemotstand <i>Flame retardancy</i>		Ingen <i>None</i>
Temperaturbestandighet <i>Temperature resistance</i>	EN 495-5/DIN 53361	+ 70 °C - 30 °C

De oppgitte verdiene er gjennomsnittsverdier fra produksjonen. Vi forbeholder oss retten til endringer uten varsel.
Technical values are average values from the production. The information may change at any time without prior notice.

Eksempler på bruksområde: Flat-presenning, transport-presenning
Suitable applications: Flat tarpaulins, transport covers

Kvalitet: **130**
Quality:



